

3400 SERIES - FOLDING DOOR							
Typical sizes min and max							
No. of Panels	WID	WIDTH		HT	MAX. AREA	MAX. WEIGHT	
	Min	Max	Min	Max	Sq. Ft	Lbs	
2	65"	90"	48"	119"	29.5	264	
3	95"	132"	48"	119"	29.5	264	
4	125"	174"	48"	119"	29.5	264	
5	155"	216"	48"	119"	29.5	264	
6	185"	259"	48"	119"	29.5	264	
7	215"	301"	48"	119"	29.5	264	
8*	245"	344"	48"	119"	29.5	264	
9*	275"	386"	48"	119"	29.5	264	
10*	305"	428"	48"	119"	29.5	264	
11*	334"	471"	48"	119"	29.5	264	
12*	364"	513"	48"	119"	29.5	264	
13*	394"	556"	48"	119"	29.5	264	
14*	424"	598"	48"	119"	29.5	264	

Notes:
All dimensions are from edge of the frame to edge of the frame
Minimum width indicated is based on minimum 42° §* sash width
Maximum width indicated is based on maximum 42° sash width
Maximum area indicated is maximum sash area and based on maximum 26'sf glass area
Maximum wight indicated is maximum sash weight
*Maximum number of panels going one direction is 7





Title:


3400 SERIES - BI FONDLING DOOR


Drawing:

Elevations











Title:

3400 SERIES - BI FONDLING DOOR

Drawing:

INSTALLATION

	Date: 2021-07-09	
Drawing no. 4		Revision no. 2